

Aagard, P., Simonsen, E. B., Beyer, N., Larsson, B., Magnusson, P., & Kjaer, M. (1997). Isokinetic Muscle Strength and Capacity for Muscular Knee Joint Stabilization in Elite Sailors. *International Journal of Sports Medicine*, 18 (7), 521–525.

Aagard, P., Simonsen, N., Trolle, M., Bangsbo, J., & Klausen K. (1995). Isokinetic Hamstring/Ouadriiceps Strength Ratio: Influence from Joint Angular Velocity, Gravity Correction and Contraction Mode. *Acta Physiologica Scandinavica*, 154, 421–427.

Agnihotry, H., & Kapoor, S. (2010). The comparative effectiveness of isokinetic and isotonic strength trainings on quadriceps maximum power. *Journal of Medicine and Biomedical Sciences*, 2 (1), 24-31.

Andrade, M. D. S., Fleury, A. M., Lira, C. A. B., Dubas, J. P., & Silva, A. C. (2010). Profile of isokinetic eccentric-to-concentric strength ratios of shoulder rotator muscles in elite female team handball players. *Journal of Sport Science*, 7, 743-749.

Askling, C., Karlsson, J., & Thorstensson, A. (2003). Hamstring injury in elite soccer players after preseason strength training with eccentric overload. *Scandinavian Journal of Medicine & Science in Sports*, 13 (4), 244-250.

Batzopoulos, V., & Brodie, D. A. (1989). Isokinetic Dynamometry: Applications and Limitations. *Sports Medicine*, 8 (2), 101-116.

Bamac, B., Colak, T., Özbeğ A., Colak, S. Cinel, Y., & Yenigün, Ö. (2008). Isokinetic Performance in Elite Volleyball and Basketball Players. *Kinesiology*, 40(2), 182-188.

Bishop, K. N., Duurant, E., Allsen, P. E., & Merrill, G. (1991). The effect of eccentric strength training at various speeds on concentric strength of the quadriceps and hamstring muscles. *Journal of Orthopaedic and Sport Physical Therapy, 13* (5), 226-30.

Blacker, S. D., Fallowfield, J. L., Bilzon, J. L. J., & Williems, M. E. T. (2010). Within-day and between-days reproducibility of isokinetic parameters of knee, trunk and shoulder movements. *Isokinetics and Exercise Science, 18*, 45-55.

Brown, L. E. (2000). *Isokinetics in Human Performance*. Champaign, IL: Human Kinetics.

Brown, L. E., Whitehurst, M., & Findley, B. W. (2005). Reliability of Rate of Force development and phase Measures on an Isokinetic Device. *Journal of Strength & Conditioning Research, 19* (1), 189-192.

Cingel, R., Kleinrensink, G., Stoeckart, R., Aufdemkampe, G., Bie, R., & Kuipers, H. (2006). Strength Values of Shoulder Internal and External Rotators in Elite Volleyball Players. *Journal of Sport Rehabilitation, 15* (3), 237-245.

Cramer, J. T., House, T. J., Coburn, J. W., Beck, T. W., & Johnson, G. O. (2006). Acute Effects of Static Stretching on Maximal Eccentric Torque production in Women. *Journal of Strength & Conditioning Research, 20* (2), 354-358.

Denis, R. & Korff, T. (2009). Joint-dependence of isometric and isokinetic strength in children and adults. *Isokinetics and Exercise Science, 17*, 227-232.

DeStaso, J., Kaminski, T. W., & Perrin, D. H. (1997). Relationship between drop vertical jump heights and isokinetic measures utilizing the stretch-shortening cycle. *Isokinetic and Exercise Science, 6*, 175-179.

De Ste Croix, M. B., Deighan, M. A., & Armstrong, N. (2003). Assessment and Interpretation of Isokinetic Muscle Strength During Growth and Maturation. *Sports Medicine, 33*(10), 727-744.

Dauty, M., Potiron-Josse, M., & Rochcongar, P. (2003). Identification of previous hamstring muscle injury by isokinetic concentric and eccentric torque measurement in elite soccer players. *Isokinetics and Exercise Science, 11*, 139-144.

Davies, G. J., & Gould, J., A. (1982). Trunk Testing Using a Prototype Cybex II Isokinetic Dynamometer Stabilization System. *Journal of Orthopaedic and Sport Physical Therapy, 3*(4), 164-169.

Dekerle, J., Williams, C., McGawley, K., & Carter, H. (2009). Critical power is not attained at the end of an isokinetic 90-second all-out test in children. *Journal of Sports Sciences, 27*(4), 379-385.

Douris, P. C., White, B. P., Cullen, R. R., Keltz, W. E., Meli, J., Mondiello, D. M., & Wenger, D. (2006). The relationship between maximal repetition performance and muscle fiber type as estimated by noninvasive technique in the quadriceps of untrained women. *Journal of Strength & Conditioning Research, 20* (3), 699-703.

Dvir, Z. (2004). *Isokinetics (Muscle Testing, Interpretation and Clinical Applications)*. Elsevier Limited.

Forbes, H., Bullers, A., Lovell, A., McNaughton, L. R., Polman, R. C., & Siegler, J. C. (2009). Relative Torque Profiles of Elite Male Youth Footballers: Effects of Age and Pubertal

Development. *International Journal of Sports Medicine*, 30(8), 592-597.

Fousekis, K., Tsepis, E. & Vagenas, G. (2010). Multivariate isokinetic strength asymmetries of the knee and ankle in professional soccer players. *The Journal of Sports Medicine and Physical Fitness*, 50, 465–473.

Ghena, D. R., Kurth, A. L., Thomas, M., & Mayhew, J. (1991). Torque characteristics of the quadriceps and hamstring muscles during concentric and eccentric loading. *Journal of Orthopaedic and Sport Physical Therapy*, 14 (4), 149-154.

Gilian, T. B., Sady, S. P., Freedson, P. S., & Villanacci, J. (1979) Isokinetic torque levels for high school football players. *Archives of Physical Medicine and Rehabilitation*, 60(3), 110–114.

Gioftsidou, A., Ispirlidis, I., Pafis, G., Malliou, P., Bikos, C., & Godolias, G. (2008). Isokinetic strength training program for muscular imbalances in professional soccer players. *Sport Science for Health*, 2 , 101-105.

Grimby, G., Gustafsson, E., Peterson, L., & Renstrom, P. (1980). Quadriceps Function and Training after Knee Ligament Surgery. *Medicine & Science in Sports & Exercise*, 12(1), 70-75.

Hadzic, V., Sattler, T., Markovic, G., Veselko, M., & Dervisevic, E. (2010). The isokinetic strength profile of quadriceps and hamstrings in elite volleyball players. *Isokinetics and Exercise Science* , 18, 31-37.

Hahn, D., Seiberl, W., & Schwirtz, A. (2007). Force Enhancement During and Following Muscle Stretch of Maximal Voluntarily Activated Human Quadriceps Femoris. *European Journal of Applied Physiology*, 100, 701–709.

Hahn, D., Schwirtz, A., & Huber, A. (2005). Anthropometric Standardisation of ultiarticular Leg Extension Movements. *Isokinetics and Exercise Science*, 13(2), 95–101.

Hewett, T. E., Myer, G. D., & Zazulak, B. T. (2008). Hamstrings to quadriceps peak torque ratios diverge between sexes with increasing isokinetic angular velocity. *Journal of Sports Science and Medicine*, 11 (5), 452-459. □

Hoffman, J. R., Ratamess, N. A., Klatt, M., Faigenbaum, A. D., & Kang, J. (2007). Do bilateral power deficits influence direction-specific movement patterns? *Research in Sports Medicine*, 15 , 125-132.

Houweling, T. A. W., Head, A., & Hamzeh, M. A. (2009). Validity of isokinetic testing for previous hamstring injury detection in socccer players. *Isokinetics and Exercise Science*, 17, 213-220.

Hoshikawa, Y., Iida, T., Muramatsu, M., Nakajima, Y., Fukunaga, T., & Kanehisa, H. (2009). Differences in Thigh Muscularity and Dynamic Torque Between Junior and Senior Soccer Players. *Journal of Sports Sciences*, 27(2), 129-138.

Iossifidou, A., Baltzopoulos, V., & Giakas, G. (2005). Isokinetic knee extension and vertical jumping: Are they related? *Journal of Sport Sciences*, 23(10), 1121-1127.

Kazazovic, E. Kozic, V., Solakovic, E., Šebic-Zuhric, L. (2009). The effects of iso-kinetic exercise program on the knee flexing strenght. *Sport Scientific & Practical Aspects* 6(1), 25.

Kellis, E., & Baltzopoulos, V. (1998). Muscle activation differences between eccentric and concentric isokinetic exercise. *Medicine & Science in Sports & Exercise*, 30, 1616–1623.

Kellis, S., Gerodimos, V., Kellis, E., & Manou, V. (2001). Bilateral Isokinetic Concentric and

Eccentric Strength Profiles of the Knee Extensors and Flexors in Young Soccer Players. *Isokinetics and Exercise Science*, 9 (1), 31–39.

Kellis, E. & Kattis, A. (2007). The relationship between isokinetic knee extension and flexion strength with soccer kick kinematics: an electromyographic evaluation. *Journal of Medicine and Physical Fitness*, 47 (4), 385-394.

Kovaleski, J. E., Heitman, R. J., Andrew, D. P. S., Gurchiek, L. R., & Pearsall, A. W. (2001). Relationship Between Closed-Linear-Kinetic-and open-Kinetic-Chain Isokinetic Strength and Lower Extremity Functional Performance. *Journal of Sport Rehabilitation*, 10, 196-204.

Langrana, A., & Lee, L. K. (1984). Isokinetic Evaluation of Trunk Muscles. *Spine*. 9(2), 3-7.

Malliou, P., Ispirlidis, I., Beneka, A., & Taxildaris, K. (2003). Vertical jump and knee extensors isokinetic performance in professional soccer players related to the phase of the training period. *Isokinetics and Exercise Science*, 11(3), 165–169.

Malý, T., Zahálka, F. & Malá, L. (2010). Isokinetic strength, ipsilateral and bilateral ratio of peak muscle torque in knee flexors and extensors in elite young soccer players. *Acta Kinesiologica*, 4 (2), 17-23.

Malý, T., Zahálka, F., Malá, L., Gryc, T., & Hrásky, P. (2010). Profil iokinetickej sily, identifikácia ipsilaterálneho a bilaterálneho pomeru momentu svalovej sily flexorov a extenzorov kolena u futbalistov. *Česká kinantropologie*, 14(3), 148-

Masuda, K., Kikuhara, N., Takahashi, H., & Yamanaka, K. (2003). The Relationship between Muscle Cross-sectional Area and Strength in Various Isokinetic Movements Among soccer Players. *Journal of sports Sciences*, 21, 851-858.

Mota, S., Brito, J., Passos, E., Marques, E., Mota, J., Sebara, A., & Rebelo, A. (2010). Variation of isokinetic strength and bone mineral density in youth Portuguese soccer players with age. *The Open Sports Science Journal*

,  
3  
, 49–51.

Murray, D. P., Brown, L. E., Zinder, S. M., Noffal, G. J., & Bera, S. G. (2007). Effects of velocity-specific training on rate of velocity development, peak torque, and performance. *Journal of Strength & Conditioning Research, 21* (3), 870-874.

Murphy, A. J., & Wilson, G. (1997). The ability of tests of muscular fiction to reflex training-induced changes in performance. *Journal of Sports Sciences, 15*, 191-200.

Neder, J. A., Nery, L. E., Shizato, G. T., Andrade, M. S., Peres, C., & Silva, A. C. (1999). Reference Values for Concentric Knee Isokinetic Strength and Power in Nonathletic Men and Women from 20 to 80 Years Old. *Journal of Orthopaedic and Sport Physical Therapy, 29*(2), 116-126

Negrini, S. (2000). Isokinetic Assessment in Schoolchildren with Low Back Pain. *Isokinetics and Exercise Science, 8* (4), 203-212.

Newman, M. A., Tarpenning, K. M., Marino, F., E. (2004). Relation Between Isokinetic Knee Strength, Single-Sprint Performance, and Repeated-Sprint Ability in Football Players. *Journal of Strength and Conditioning Research, 18* (4), 867-872.

Ordway, N. R., Hand, N., Briggs, G. & Plout-Snyder, L. L. (2006). Reliability of Knee and Ankle Strength Measures in an Older Adult Population. *Journal of Strength & Conditioning Research,*

20

(1), 82-87.

Orri, J. C., & Darden, G. F. (2008). Technical Report: Reliability and Validity of the iSAM 9000 Isokinetic Dynamometer. *Journal of Strength & Conditioning Research*, 22(1), 310-317.

Östberg, A, Roos, E., Ekdahl, C., & Roos, H. (1998). Isokinetic knee extensor strength and functional performance in healthy female soccer players. *Scandinavian Journal of Medicine & Science in Sports*, 8(5), 257-264.

Özcakar, L., Kunduracyoolu, B., Cetin, A., Ülkar, B., Guner, R., & Hascelik, Z. (2003). Comprehensive isokinetic knee measurements and quadriceps tendon evaluations in footballers for assessing functional performance. *Sports Medicine*, 37, 507-510.

Paraschos, I., Hassani, A., Bassa, E., Hatzikotoulas, K., Patikas, D., & Kotzamanidis, C. (2007). Fatigue Differences between Adults and Prepubertal Males. *International Journal of Sports Medicine*, 28 (11), 958-963.

Paasuke, M., Ereline, J., Gapeyeva, H. (2001). *Pediatric Exercise Science* 13(1), 60-69.

Pereira, M., & Gomes, P. (2003). Movement velocity in Resistance training. *Sports Medicine*, 33 (6), 427-438.

Porter, G. K., Kaminski, T. W., Hatzel, B., Powers, M. E., & Horodyski, M. (2002). An examination of the stretch-shortening cycle of the dorsiflexors and evertors in uninjured and functionally unstable ankles. *Journal of Athletic Training*, 37, 494-500.

Proske, U., Morgan, D. L., Brockett, C. L., & Percival, P. (2004). Identifying athletes at risk of hamstrings strains and how to protect them. *Clinical and Experimental Pharmacology & Physiology*, 31, 546–550.

Radaelli, R., Bottaro, M., Weber, F., Brown, L. E., & Pinto, R. S. (2010). Influence of body position on shoulder rotator muscle strength during isokinetic assessment. *Isokinetics and Exercise Science, 18*, 119-124.

Rainoldi, A., Gazzoni, M., Merletti, R., & Minetto, M. A. (2008). Mechanical and EMG Responses of the Vastus Lateralis and Changes in Biomechanical Variables to Isokinetic Exercise in Endurance and Power Athletes. *Journal of Sports Sciences, 26*(3), 321-331.

Read, M. T. F., & Belamy, M. J. (1990). Comparison of hamstring/quadriceps isokinetic strength ratios and power in tennis, squash and track athletes. *British Journal of Sports Medicine, 24*(30), 178-182.

Rosene, J. M., Fogarty, T. D., & Mahaffey, B. L. (2001). Isokinetic Hamstrings: Quadriceps Ratios in Intercollegiate Athletes. *Journal of Athletic Training, 36*(4), 378-383.

Sangnier, S., & Tourny-Chollet, C. (2007). Comparison of the Decrease in Strength Between Hamstrings and Quadriceps During Isokinetic Fatigue Testing in Semiprofessional Soccer Players. *International Journal of Sports Medicine, 28*(11), 952-957.

Saccol, M. F., Gracitelli, G. C., da Silva, R. T., de Souza Laurino, C. F., Fluery, A. M., & Dos Santos Andrade, M. (2008). Shoulder functional ratio in elite junior tennis players. *Physical Therapy in Sport, 11*, 8-11.

Schwartz, F. P., Bottaro, M., Celes, R. S., Brown, L. E., & Oliveira Nascimento, F. A. (2010). The influence of velocity overshoot movement artifact on isokinetic knee extension test. *Journal of Sports Science and Medicine, 9*, 140-146.

Timm, K. (1997). The Isokinetic Curve of Shoulder Instability in High School Basketball Pitchers. *Journal of Orthopaedic and Sport Physical Therapy, 26*(3), 150-154.□

Tourny-Chollet, C., Leroy, D., Léger, H., & Beuret-Blanquart, F. (2000). Isokinetic knee muscle strength of soccer players according to their position. *Isokinetics and Exercise Science, 8*, 187-193.

Tsiokanos, A., Kellis, E., Jamurtas, A., & Kellis, S. (2002). The relationship between jumping performance and isokinetic strength of hip and knee extensors and ankle plantar flexors. *Isokinetic and Exercise Science, 10* (2), 107-115.

Wang, H., Macfariane, A., & Cochrane, T. (2000). Isokinetic performance and shoulder mobility in elite volleyball athletes from United Kingdom. *British Journal of Sports Medicine, 34*, 39-43.

West, D., Sole, G., & Sullivan, J. (2005). Shoulder External- and Internal- Rotation Isokinetic Strength in Master's Swimmers. *Journal of Sport Rehabilitation, 14*(1), 12-19.

Wilhite, M. R., Cohen, E. R. & Wilhite, S. C. (1992) Reliability of concentric and eccentric measurements of quadriceps performance using the KIN-COM dynamometer: the effect of testing order for three different speeds. *Journal of Orthopaedic and Sports Physical Therapy, 15*, 175–182.

Wilk, K. E., Romaniello, W. T., Soscia, S. M., Arigo, C. A., & Andrews, J. R. (1994): The Relationship Between Subjective Knee Scores, Isokinetic Testing, and Functional Testing in the ACL-Reconstructed Knee. *Journal of Orthopaedic and Sport Physical Therapy, 20*(2), 60-73.

Wilkin, L. D., & Haddock, B. L. (2006). Isokinetic Strength of Collegiate Baseball Pitchers During a Season. *Journal of Strength & Conditioning Research, 20*(4), 829-832.

Wood, L. E., Dixon, S. Grant, C., & Armstrong, N. (2008). Isokinetic Elbow Torque Development in Children. *International Journal of Sports Medicine*, 29(6), 466-470.

Wright, J., Ball, N., & Wood, L. (2009). Fatigue H/Q Ratios and Muscle Coactivation in Recreational Football Players. *Isokinetics and Exercise Science*, 17(3), 161-167.

Zemach, L., Almoznino, S., Barak, Y., & Dvir, Z. (2009). Quadriceps Insufficiency in Patients with Knee Compromise: How Many Velocities Should an Isokinetic Test Protocol Consist of? *Isokinetics and Exercise Science*, 17 (3), 129-133.